NSN 5310-01-082-5350

Plate Self-locking Nut - Page 1 of 2

Thread Class:

View Online at https://aerobasegroup.com/nsn/5310-01-082-5350



3b **Thread Direction: Right-hand** Locking Feature: Prevailing torque with nonmetallic insert **Counterbore Diameter:** 0.318 inches nut and 0.333 inches nut Lubrication: Dry film lubricant Mounting Hole Diameter: Between 0.130 inches and 0.135 inches Nut Style: Plate Nut Length: 1.000 inches **Distance From Base To Center Of Aperture:** Between 0.329 inches and 0.359 inches Nut Height: 0.437 inches **Plate Thickness:** 0.075 inches Plate Width: 0.750 inches Nut Counterbore Depth: 0.055 inches nut and 0.085 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Mounting Hole Center To Base:** Between 0.563 inches and 0.593 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.248 inches and 0.252 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi):

24

NSN 5310-01-082-5350

Plate Self-locking Nut - Page 2 of 2



Thread Size:

0.312 inches

Material:

Steel nut

Surface Treatment:

Cadmium nut and chromate nut

Surface Treatment Specification:

Qq-p-416, type 2, cl 3 assn standard single treatment response nut

Specification Data:

80205-nas1033 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.