## NSN 5310-01-094-6063

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-094-6063 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.984 inches **Nut Height:** 0.218 inches **Plate Thickness:** 0.075 inches Plate Width: 0.416 inches **Nut Mounting Provision:** Countersunk holes **Mounting Provision Location:** Opposite nut projection side **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** 0.344 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.686 inches and 0.690 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjc **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches

**Countersink Angle:** 120.0 degrees nut

## **NSN 5310-01-094-6063**Plate Self-locking Nut - Page 2 of 2

No Fiig: A021a0



Mounting Hole Countersink Angle:
Between 98.0 degrees and 102.0 degrees
Material:
Steel
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2, cl 3 federal specification single treatment response
Specification Data:
80205-nas1031 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: