## NSN 5310-01-097-0256

Round Plain Nut - Page 1 of 1

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5310-01-097-0256

Thread Class: 2b Thread Direction: Right-hand Nut Style: Round Nut Diameter: Between 0.433 inches and 0.453 inches Nut Thickness: Between 0.036 inches and 0.065 inches End Application: An/alq-99 (v) Thread Series: Unf Thread Series: Unf Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Thread Direction:Right-handNut Style:RoundNut Diameter:Between 0.433 inches and 0.453 inchesNut Thickness:Between 0.036 inches and 0.065 inchesEnd Application:An/alq-99 (v)Thread Series:UnfThread Stries:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Right-handNut Style:RoundNut Diameter:Between 0.433 inches and 0.453 inchesNut Thickness:Between 0.036 inches and 0.065 inchesEnd Application:An/alq-99 (v)Thread Series:UnfThready Qty Per Inch (tpi):28Thread Size:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Nut Style:RoundNut Diameter:Between 0.433 inches and 0.453 inchesMut Thickness:Between 0.036 inches and 0.065 inchesEnd Application:An/alq-99 (v)Thread Series:UnfThready Qty Per Inch (tpi):28Thread Size:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Round Nut Diameter: Between 0.433 inches and 0.453 inches Mut Thickness: Between 0.036 inches and 0.065 inches End Application: An/alq-99 (v) Thread Series: Unf Thready Qty Per Inch (tpi): 28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Nut Diameter:Between 0.433 inches and 0.453 inchesNut Thickness:Between 0.036 inches and 0.065 inchesEnd Application:An/alq-99 (v)Thread Series:UnfThready Qty Per Inch (tpi):28Thread Size:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Between 0.433 inches and 0.453 inches Nut Thickness: Between 0.036 inches and 0.065 inches End Application: An/alq-99 (v) Thread Series: Unf Thready Qty Per Inch (tpi): 28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Nut Thickness:Between 0.036 inches and 0.065 inchesEnd Application:An/alq-99 (v)Thread Series:UnfThready Qty Per Inch (tpi):28Thread Size:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Between 0.036 inches and 0.065 inches End Application: An/alq-99 (v) Thread Series: Unf Thready Qty Per Inch (tpi): 28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
End Application: An/alq-99 (v) Thread Series: Unf Thready Qty Per Inch (tpi): 28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
An/alq-99 (v) Thread Series: Unf Thready Qty Per Inch (tpi): 28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate
Thread Series:UnfThready Qty Per Inch (tpi):2828Thread Size:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Unf Thready Qty Per Inch (tpi): 28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Thready Qty Per Inch (tpi):2828Thread Size:0.250 inchesSpecial Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
28 Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Thread Size: 0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
0.250 inches Special Features: Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Special Features:Altered from ms15795-808Material:Stainless steelMaterial Specification:300 series assn standard single material responseSurface Treatment:PassivateSurface Treatment Specification:
Altered from ms15795-808 Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Material: Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Stainless steel Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Material Specification: 300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
300 series assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Surface Treatment: Passivate Surface Treatment Specification:
Passivate Surface Treatment Specification:
Surface Treatment Specification:
-
Mil 6 4 4070 - 2000 military standard and and a first to a two and a
Mil-f-14072, e300 military standard single treatment response
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A021a0
Mil-std (military Standard):
Mil-f-14072 spec.