

View Online at <https://aerobasegroup.com/nsn/5310-01-101-2025>

Thread Class:

2b

Thread Direction:

Right-hand

Nut Style:

Hexagon

Nut Height:

Between 0.535 inches and 0.559 inches

Width Across Flats:

Between 0.922 inches and 0.938 inches

Thread Series:

Unc

Thready Qty Per Inch (tpi):

11

Hardness Rating:

80.0 brinell standard

Thread Size:

0.625 inches

Bearing Surface Type:

Washer faced or chamfered

Special Features:

Bearing surface type is double chamfered or washer faced

Material:

Steel comp 1013 or steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1524 or steel comp 1025 or steel comp 1026 or steel comp 1527 or steel comp 1029 or steel comp 1030 or steel comp 1033 or steel comp 1034 or steel comp 1035 or steel comp 1536 or steel comp 1037 or steel comp 1038 or steel comp 1039 or steel comp 1040 or steel comp 1541

Material Specification:

66 federal standard all material responses

Surface Treatment:

Zinc

Surface Treatment Specification:

Astm b633, type 2, cl fe/zn13 assn standard single treatment response

Specification Or Standard:

2 grade and a style and i type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-001222 spec