## NSN 5310-01-102-1872

Clinch Plain Nut - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-01-102-1872

Thread Class:
2b
Thread Direction:
Right-hand
Pilot Diameter:
Between 0.165 inches and 0.169 inches
Pilot Length:
Between 0.040 inches and 0.050 inches
Counterbore Diameter:
0.137 inches and 0.143 inches
Nut Style:
Clinch
Nut Diameter:
0.250 inches
Nut Height:
Between 0.290 inches and 0.300 inches
Nut Counterbore Depth:
0.196 inches and 0.206 inches
Thread Series:
Unc
Thready Qty Per Inch (tpi):
ти она у т. от т. от (гр.).
40
40
40 Thread Size:
40 Thread Size: 0.112 inches
Thread Size: 0.112 inches Material:
Thread Size: 0.112 inches  Material: Steel comp 303
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification:
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment:
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification:
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: 580-0025-000 fscm 13499 mfr ref single treatment response
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: 580-0025-000 fscm 13499 mfr ref single treatment response Shelf Life:
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: 580-0025-000 fscm 13499 mfr ref single treatment response Shelf Life: N/a
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: 580-0025-000 fscm 13499 mfr ref single treatment response Shelf Life: N/a
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: 580-0025-000 fscm 13499 mfr ref single treatment response Shelf Life: N/a Unit Of Measure:
Thread Size: 0.112 inches Material: Steel comp 303 Material Specification: Astm a582 assn standard single material response Surface Treatment: Passivate Surface Treatment Specification: 580-0025-000 fscm 13499 mfr ref single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: