

View Online at <https://aerobasegroup.com/nsn/5310-01-107-3583>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Lubrication:

Dry film lubricant

Nut Style:

Floating self-locking barrel

Nut Diameter:

Between 0.637 inches and 0.639 inches

Nut Length:

Between 1.490 inches and 1.510 inches

Barrel Height:

Between 0.740 inches and 0.750 inches

Nut Height:

1.059 inches

End Application:

Helicopter, ch-53a/d/e; helicopter, super jolly h-53; hh-60l medivac; helicopter, black hawk uh-60a; helicopter, seahawk, h-60; aircraft black hawk (mh-60k special operations aircraft); helicopter, search and rescue, hh-60h; helicopter, electronic countermeasures, eh-60a; helicopter, carrier based asw, sh-60f; helicopter, sof / hh-53h pave low

Temperature Rating:

450.0 degrees fahrenheit

Thread Series:

Unjf

Features Provided:

Floating nut

Thready Qty Per Inch (tpi):

16

Thread Size:

0.750 inches

Material:

Steel nut

Surface Treatment:

Cadmium nut

Surface Treatment Specification:

Qq-p-416, cl 3 federal specification single treatment response nut

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0