## NSN 5310-01-107-7271

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-107-7271 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.194 inches nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.739 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.032 inches Plate Width: 0.416 inches **Nut Counterbore Depth:** 0.062 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.249 inches and 0.251 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.498 inches and 0.502 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi):

32

**Thread Size:** 

0.190 inches

## NSN 5310-01-107-7271

Plate Self-locking Nut - Page 2 of 2

Material:



Iron alloy 660
Material Specification:
Ams 5525 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single
material response
Precious Material And Location:
All surfaces silver
Precious Material:
Silver
Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Specification Data:
80205-nas1068 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0