## NSN 5310-01-116-6639

Plate Self-locking Nut - Page 1 of 2

Passivate except insert



View Online at https://aerobasegroup.com/nsn/5310-01-116-6639

Thread Class:
3b
Thread Direction:
Right-hand
Locking Feature:
Prevailing torque with nonmetallic insert
Mounting Hole Diameter:
Between 0.066 inches and 0.069 inches
Nut Length:
0.455 inches
Distance From Base To Center Of Aperture:
0.156 inches
Nut Height:
0.151 inches
Plate Thickness:
0.025 inches
Plate Width:
0.266 inches
Nut Mounting Provision:
Straight holes
Mounting Hole Arrangement Style:
2 holes
Distance From Mounting Hole Center To Base:
0.230 inches
Center To Center Distance Between Mounting Holes Along Length:
Between 0.138 inches and 0.142 inches
Tempurature Rating:
250.0 degrees fahrenheit
Thread Series:
Unc
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Material:
Steel comp 321 shell or iron alloy 660 shell
Material Specification:
Qq-s-763, cond a federal specification 1st material response nut or astm a582, cond a assn standard 2nd material response nut
Surface Treatment:

## NSN 5310-01-116-6639

Plate Self-locking Nut - Page 2 of 2



Surface Treatment Spec	ific	ation:
------------------------	------	--------

Qq-p-35 federal specification single treatment response except insert

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-m-20693 spec.