NSN 5310-01-120-5539

Double Hexagon Extended Washer Self-locking Nut - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5310-01-120-5539 |
|--|
| Thread Class: |
| 3b |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| Washer Outside Diameter: |
| Between 0.505 inches and 0.515 inches |
| Overall Height: |
| Between 0.355 inches and 0.365 inches |
| Nut Style: |
| Double hexagon |
| Washer Thickness: |
| Between 0.043 inches and 0.063 inches |
| Width Across Flats: |
| Between 0.367 inches and 0.376 inches |
| Thread Series: |
| Unjf |
| Thready Qty Per Inch (tpi): |
| 24 |
| Hardness Rating: |
| 44.0 rockwell c |
| Thread Size: |
| 0.312 inches |
| Material: |
| Iron alloy 660 |
| Material Specification: |
| Ams 5732 assn standard single material response or ams 5732 assn standard single material response |
| Precious Material And Location: |
| All surfaces silver |
| Precious Material: |
| Silver |
| Surface Treatment: |
| Silver |
| Surface Treatment Specification: |
| Ams 2411 assn standard single treatment response |
| Specification Data: |
| 99193-s9425 manufacturers standard |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

-

NSN 5310-01-120-5539

Double Hexagon Extended Washer Self-locking Nut - Page 2 of 2



| _ | | •• | • - | | | | |
|---|----|----|-----|-----|-----|-----|----|
| 1 | em | | ゖっ | riz | 2†1 | n | |
| _ | | | ıιa | 114 | au | VII | ١. |

No

Fiig:

A021a0