NSN 5310-01-124-3101

Assembled Washer Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-124-3101 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Washer Outside Diameter:** 0.660 inches **Counterbore Diameter:** 0.407 inches nut and 0.417 inches nut Lubrication: Dry film lubricant **Overall Height:** Between 0.341 inches and 0.361 inches **Nut Style:** Flat with turned up edge **Nut Counterbore Depth:** 0.072 inches nut and 0.087 inches nut Width Across Flats: Between 0.430 inches and 0.439 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi): 24 Hardness Rating: Between 35.0 rockwell c and 40.0 rockwell c **Thread Size:** 0.375 inches Material: Steel comp 8740 nut **Material Specification:** Mil-s-6049 military specification single material response nut or ams 6322 assn standard single material response nut **Surface Treatment:** Cadmium nut **Surface Treatment Specification:**

Qq-p-416, type 2, cl 2 federal specification all treatment responses washer

Specification Data:

81205-bacn10hy manufacturers standard

Shelf Life:

N/a

NSN 5310-01-124-3101

Assembled Washer Self-locking Nut - Page 2 of 2



Demilitarization:	

Unit Of Measure:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-6049 spec.