

View Online at <https://aerobasegroup.com/nsn/5310-01-132-8555>

**Hole Diameter:**

Between 1.992 inches and 2.017 inches

**Outside Diameter:**

Between 2.438 inches and 2.468 inches

**Internal Prebent Key Length:**

Between 0.125 inches and 0.156 inches

**External Prebent Key Width:**

Between 0.204 inches and 0.234 inches

**Internal Prebent Key Width:**

Between 0.250 inches and 0.290 inches

**Overall Distance Including Keys:**

Between 2.8595 inches and 2.9220 inches

**External Key Quantity:**

17

**Material Thickness:**

Between 0.053 inches and 0.063 inches

**Criticality Code Justification:**

Zzzy

**Material:**

Steel comp 301 or steel comp 302 or steel comp 302b or steel comp 303 or steel comp 303 plus x or steel comp 303se or steel comp 303cu or steel comp 303ma or steel comp 303pb or steel comp 304 or steel comp 304l or steel comp 304h

**Material Specification:**

A2si, cond a assn standard all material responses

**Special Test Features:**

Special quality control testing

**Style Designator:**

Key

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Reference Number Differentiating Characteristics:**

As differentiated by material which must conform to ships parts control center special quality control provisions and certified free from mercury contamination

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A022b0