NSN 5310-01-133-1584

Gang Channel Self-locking Nut Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-133-1584 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.380 inches nut Lubrication: Dry film lubricant **Overall Length:** 72.000 inches **Overall Width:** 0.710 inches **Nut Style:** Gang channel, self locking **Channel Style:** Straight type Assemblyheight: 0.362 inches **Channel Height:** 0.250 inches **Nut Spacing:** Between 1.500 inches and 1.520 inches **Nut Counterbore Depth:** 0.062 inches nut **Nut Quantity:** 48 **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.375 inches Material: Iron alloy 660 nut **Material Specification:** Ams5525 assn standard single material response nut or ams5732 assn standard single material response nut

Surface Treatment:

Anodize channel and paint channel

NSN 5310-01-133-1584

Gang Channel Self-locking Nut Assembly - Page 2 of 2



Surface Treatment Specification:

Mil-a-8625 military specification 1st treatment response channel and mms425 fscm 76301 mfr ref 2nd treatment response channel

Specification Data:

76301-st3-776 manufacturers standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.