

View Online at <https://aerobasegroup.com/nsn/5310-01-139-9965>

Mounting Hole Diameter:

Between 0.102 inches and 0.108 inches

Nut Style:

Plate nut spacer

Nut Length:

Between 0.730 inches and 0.745 inches

Thru-hole Diameter:

Between 0.210 inches and 0.220 inches

Plate Thickness:

Between 0.026 inches and 0.038 inches

Plate Width:

Between 0.313 inches and 0.328 inches

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

Between 0.247 inches and 0.253 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.217 inches and 0.221 inches

Material:

Steel comp 301 or steel comp 302 or steel comp 304 or steel comp 316 or steel comp 321 or steel comp 347 or steel comp 348

Material Specification:

Mil-s-5059 military specification 1st material response or mil-s-5059 military specification 2nd material response or mil-s-5059 military specification 3rd material response or mil-s-5059 military specification 4th material response or mil-s-6721 military specification 5th material response or mil-s-6721 military specification 6th material response or mil-s-6721 military specification 7th material response

Specification Data:

80205-nas1195 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-5059 spec.