

View Online at <https://aerobasegroup.com/nsn/5310-01-140-7299>

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Fabrication Method:**

Forged

**Wing Spread Width:**

Between 1.310 inches and 1.440 inches

**Overall Height:**

Between 0.650 inches and 0.790 inches

**Body Diameter:**

Between 0.640 inches and 0.700 inches

**Nut Style:**

Wing

**Drilled Hole Diameter:**

0.070 inches

**Hole Type And Quantity:**

1 drilled

**Thread Series:**

Unc

**Thready Qty Per Inch (tpi):**

16

**Thread Size:**

0.375 inches

**Hole Configuration Style:**

Configuration k

**Criticality Code Justification:**

Zzzy

**Material:**

Steel comp 301 or steel comp 302 or steel comp 302b or steel comp 303 or steel comp 303se or steel comp 304 or steel comp 304l or steel comp 305 or steel comp 308 or steel comp 309 or steel comp 309s or steel comp 310 or steel comp 310s or steel comp 314 or steel comp 316 or steel comp 316l or steel comp 317 or steel comp 321 or steel comp 347 or steel comp 348 or steel comp 384 or steel comp 385

**Material Specification:**

66 federal standard all material responses

**Surface Treatment:**

Passivate

**Special Test Features:**

Special quality control testing

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Test Data Document:**

81349-mil-p-23199 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical" "average" "" etc.)

**Reference Number Differentiating Characteristics:**

As differentiated by material which must conform to ships parts control center special quality control provisions and certified free from mercury contamination

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A021a0