## NSN 5310-01-147-8249

Round Plain Nut - Page 1 of 1

A021a0



View Online at https://aerobasegroup.com/nsn/5310-01-147-8249

| Thread Pitch Diameters:   |
|---|
| +3.2859/+3.2918 inches  |
| Thread Direction:   |
| Right-hand  |
| Drive Point Depth:  |
| 0.1565 inches   |
| Nut Style:  |
| Round   |
| Nut Diameter:   |
| Between 4.391 inches and 4.411 inches   |
| Nut Thickness:  |
| Between 0.615 inches and 0.635 inches   |
| Drive Point Width:  |
| Between 0.360 inches and 0.385 inches   |
| Drive Point Quantity:   |
| 4   |
| Thread Series:  |
| Uns   |
| Thready Qty Per Inch (tpi):   |
| 12  |
| Hardness Rating:  |
| Between 66.0 rockwell b and 92.0 rockwell b   |
| Thread Size:  |
| 3.340 inches  |
| Material:   |
| Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 |
| or steel comp 1022 or steel comp 1023 or steel comp 1524 or steel comp 1025 or steel comp 1026 or steel comp 1527 or steel comp   |
| 1029 or steel comp 1030 or steel comp 1035 or steel comp 1212 or steel comp 1213 or steel comp 1031 or steel comp 1116 or steel   |
| comp 1117 or steel comp 1118 or steel comp 1215 or steel comp 1033 or steel comp 1034   |
| Material Specification:   |
| 66 federal standard all material responses  |
| Surface Treatment:  |
| Zinc and chromate   |
| Surface Treatment Specification:  |
| Astm b633, type 2, cl 3 assn standard single treatment response   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |