

View Online at <https://aerobasegroup.com/nsn/5310-01-150-5917>

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Washer Outside Diameter:**

Between 18.79 millimeters and 19.00 millimeters

**Lubrication:**

Dry film lubricant

**Overall Height:**

15.0 millimeters

**Nut Style:**

Double hexagon

**Washer Thickness:**

Between 2.6 millimeters and 3.0 millimeters

**Width Across Flats:**

Between 13.82 millimeters and 14.00 millimeters

**Tempurature Rating:**

235.0 degrees celsius

**Thread Series:**

Iso m

**Hardness Rating:**

48.0 rockwell c

**Thread Size:**

12.0 millimeters

**Thread Pitch In Millimeters:**

1.25

**Thread Tolerance Class:**

6h internal

**Material:**

Steel comp 8740 or steel comp h11

**Material Specification:**

Mil-s-6049 military specification 1st material response or ams 6304 assn standard 1st material response or ams 6485 assn standard 2nd material response

**Surface Treatment:**

Cadmium and chromate

**Surface Treatment Specification:**

Qq-p-416, type 2 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-s-6049 spec.