

View Online at https://aerobasegroup.com/nsn/5310-01-150-5917

## **Thread Direction: Right-hand** Locking Feature: Prevailing torque all metal design Washer Outside Diameter: Between 18.79 millimeters and 19.00 millimeters Lubrication: Dry film lubricant **Overall Height:** 15.0 millimeters Nut Style: Double hexagon Washer Thickness: Between 2.6 millimeters and 3.0 millimeters Width Across Flats: Between 13.82 millimeters and 14.00 millimeters **Tempurature Rating:** 235.0 degrees celsius **Thread Series:** lso m Hardness Rating: 48.0 rockwell c **Thread Size:** 12.0 millimeters **Thread Pitch In Millimeters:** 1.25 **Thread Tolerance Class:** 6h internal Material: Steel comp 8740 or steel comp h11 **Material Specification:** Mil-s-6049 military specification 1st material response or ams 6304 assn standard 1st material response or ams 6485 assn standard 2nd material response Surface Treatment: Cadmium and chromate **Surface Treatment Specification:** Qq-p-416, type 2 federal specification single treatment response Shelf Life: N/a Unit Of Measure: **Demilitarization:**

No

---



Fiig: A021a0

Mil-std (military Standard):

Mil-s-6049 spec.