

View Online at <https://aerobasegroup.com/nsn/5310-01-150-5917>

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Washer Outside Diameter:

Between 18.79 millimeters and 19.00 millimeters

Lubrication:

Dry film lubricant

Overall Height:

15.0 millimeters

Nut Style:

Double hexagon

Washer Thickness:

Between 2.6 millimeters and 3.0 millimeters

Width Across Flats:

Between 13.82 millimeters and 14.00 millimeters

Tempurature Rating:

235.0 degrees celsius

Thread Series:

Iso m

Hardness Rating:

48.0 rockwell c

Thread Size:

12.0 millimeters

Thread Pitch In Millimeters:

1.25

Thread Tolerance Class:

6h internal

Material:

Steel comp 8740 or steel comp h11

Material Specification:

Mil-s-6049 military specification 1st material response or ams 6304 assn standard 1st material response or ams 6485 assn standard 2nd material response

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-6049 spec.