

View Online at <https://aerobasegroup.com/nsn/5310-01-152-4228>

**Thread Pitch Diameters:**

+3.8639/+3.8713 inches

**Thread Direction:**

Right-hand

**Drive Point Depth:**

0.190 inches

**Nut Style:**

Round

**Nut Diameter:**

Between 5.172 inches and 5.192 inches

**Nut Thickness:**

Between 0.735 inches and 0.760 inches

**Drive Point Width:**

Between 0.360 inches and 0.385 inches

**Drive Point Quantity:**

4

**Thread Series:**

Uns

**Thready Qty Per Inch (tpi):**

12

**Hardness Rating:**

Between 66.0 rockwell c and 92.0 rockwell c

**Thread Size:**

3.918 inches

**Material:**

Steel comp 1015 or steel comp 1016 or steel comp 1017 or steel comp 1018 or steel comp 1019 or steel comp 1020 or steel comp 1021 or steel comp 1022 or steel comp 1023 or steel comp 1025 or steel comp 1026 or steel comp 1029 or steel comp 1030 or steel comp 1031 or steel comp 1033 or steel comp 1034 or steel comp 1035 or steel comp 1116 or steel comp 1117 or steel comp 1118 or steel comp 1212 or steel comp 1213 or steel comp 1215

**Material Specification:**

66 federal standard all material responses

**Surface Treatment:**

Zinc and chromate

**Surface Treatment Specification:**

Qq-z-325, type 2, cl 3 federal specification single treatment response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-n-21337 spec