NSN 5310-01-155-2573

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-155-2573 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.168 inches nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.707 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.032 inches Plate Width: 0.367 inches **Nut Counterbore Depth:** 0.062 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.233 inches and 0.235 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.466 inches and 0.470 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unjc **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32

Thread Size: 0.164 inches

NSN 5310-01-155-2573

Plate Self-locking Nut - Page 2 of 2



ΝЛ	ate	rıa	

Iron alloy 660

Material Specification:

Ams 5525 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single material response

Test Data Document:

81349-mil-i-7214 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

80205-nas1068 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0