## NSN 5310-01-160-2036



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-160-2036 **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 8.5 millimeters nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 3.5 millimeters and 3.7 millimeters **Nut Style:** Plate **Nut Length:** 29.2 millimeters **Nut Height:** 9.9 millimeters **Plate Thickness:** 0.8 millimeters Plate Width: 15.5 millimeters **Nut Counterbore Depth:** 2.7 millimeters nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** 11.0 millimeters **Center To Center Distance Between Mounting Holes Along Length:** 22.0 millimeters **Tempurature Rating:** 235.0 degrees celsius **Thread Series:** Mį

**Features Provided:** Floating nut **Thread Size:** 8.0 millimeters **Thread Pitch In Millimeters:** 1.00 **Thread Tolerance Class:** 4h5h internal

## NSN 5310-01-160-2036

Plate Self-locking Nut - Page 2 of 2

A021a0



wateriai:
Steel
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2, cl 2 federal specification single treatment response
Specification Data:
80205-na0027 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig: