Double Hexagon Extended Washer Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-164-5854

| Thread Class:   |
|---|
| 3b  |
| Thread Direction:   |
| Right-hand  |
| Locking Feature:  |
| Prevailing torque all metal design  |
| Washer Outside Diameter:  |
| Between 1.130 inches and 1.180 inches                                     |
| Lubrication:  |
| Dry film lubricant  |
| Overall Height:   |
| 0.750 inches  |
|   |
| Nut Style:  |
|   |
| Washer Thickness:   |
| 0.094 inches  |
| Width Across Flats:   |
| Between 0.928 inches and 0.940 inches                                     |
| Tempurature Rating:   |
| 450.0 degrees fahrenheit  |
| Thread Series:  |
| Unjf  |
| Thready Qty Per Inch (tpi):   |
| 16  |
| Hardness Rating:  |
| Between 34.0 rockwell c and 43.0 rockwell c                               |
| Thread Size:  |
| 0.750 inches  |
| Material:   |
| Steel comp 8740   |
| Material Specification:   |
| Ams 6322 assn standard single material response                           |
| Surface Treatment:  |
| Cadmium and chromate  |
| Surface Treatment Specification:  |
| Qq-p-416, type 2, class 2 federal specification single treatment response |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
|   |

## NSN 5310-01-164-5854 Double Hexagon Extended Washer Self-locking Nut - Page 2 of 2

er Self-lo

Fiig: A021a0

