NSN 5310-01-175-7598

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-175-7598 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.280 inches nut Lubrication: Dry film lubricant **Overall Height:** 0.560 inches **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 1.000 inches **Nut Height:** 0.350 inches **Plate Thickness:** 0.030 inches Plate Width: 0.635 inches **Nut Counterbore Depth:** 0.105 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.371 inches and 0.381 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.750 inches and 0.754 inches **Thread Series:** Unif **Features Provided:** Thready Qty Per Inch (tpi):

Floating nut 28 **Thread Size:** 0.250 inches

NSN 5310-01-175-7598

Plate Self-locking Nut - Page 2 of 2

Material:

Mil-r-25988 spec.



Steel nut
Material Specification:
Mil-r-25988 military specification single material response seal
Surface Treatment:
Passivate cap
Surface Treatment Specification:
Qq-p-416, type 2, cl 2 federal specification single treatment response washer
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0
Mil-std (military Standard):