NSN 5310-01-182-6271

Double Hexagon Extended Washer Self-locking Nut - Page 1 of 1



| View Online at https://aerobasegroup.com/nsn/5310-01-182-6271 |
|--|
| Thread Class: |
| 3b |
| Thread Direction: |
| Right-hand |
| Locking Feature: |
| Prevailing torque all metal design |
| Washer Outside Diameter: |
| 0.475 inches |
| Overall Height: |
| Between 0.460 inches and 0.475 inches |
| Nut Style: |
| Double hexagon |
| Washer Thickness: |
| Between 0.050 inches and 0.070 inches |
| End Application: |
| F118 engine qualified |
| Width Across Flats: |
| 0.375 inches |
| Thread Series: |
| Unjf |
| Thready Qty Per Inch (tpi): |
| 24 |
| Hardness Rating: |
| 48.0 rockwell c |
| Thread Size: |
| 0.3125 inches |
| Special Features: |
| Removed two points on wrenching configuration 180 degrees apart, 10-point nut; finish is esnalube 382 |
| Material: |
| Iron alloy 660 |
| Material Specification: |
| Ams 5735, a-286 assn standard 1st material response or ams 5737, a-286 assn standard 2nd material response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A021a0 |