

View Online at <https://aerobasegroup.com/nsn/5310-01-184-0907>

**Thread Class:**

3b

**Thread Direction:**

Right-hand

**Locking Feature:**

Prevailing torque all metal design

**Counterbore Diameter:**

0.440 inches base

**Lubrication:**

Dry film lubricant

**Overall Height:**

0.929 inches

**Mounting Hole Diameter:**

Between 0.130 inches and 0.145 inches

**Nut Style:**

Plate

**Nut Length:**

1.421 inches

**Nut Height:**

Between 0.642 inches and 0.817 inches

**Plate Thickness:**

Between 0.015 inches and 0.035 inches

**Plate Width:**

0.860 inches

**Nut Counterbore Depth:**

0.100 inches base

**Nut Mounting Provision:**

Straight holes

**Mounting Hole Arrangement Style:**

2 holes

**Distance From Aperture Center To Mounting Hole Center:**

Between 0.557 inches and 0.567 inches

**Center To Center Distance Between Mounting Holes Along Length:**

Between 1.123 inches and 1.127 inches

**Thread Series:**

Unjf

**Features Provided:**

Floating nut

**Thready Qty Per Inch (tpi):**

24

**Thread Size:**

0.375 inches

**Material:**

Steel comp 301 washer or steel comp 302 washer or steel comp 304 washer or steel comp 316 washer

**Material Specification:**

Mil-s-5059 military specification all material responses washer

**Surface Treatment:**

Passivate washer

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A021a0

**Mil-std (military Standard):**

Mil-r-6855 spec.