NSN 5310-01-191-4597

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-191-4597 **Thread Class:** 2b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.254 inches base Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 1.292 inches **Nut Height:** 0.281 inches **Plate Thickness:** 0.025 inches Plate Width: 0.516 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.495 inches and 0.505 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.998 inches and 1.002 inches **Tempurature Rating:** 232.0 degrees celsius **Thread Series:** Unjc **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.250 inches

Material: Steel

NSN 5310-01-191-4597

Plate Self-locking Nut - Page 2 of 2



_	•		_			
<u>ن</u>	irta	\sim	Irο	atm	nan	
υı	ai ia	ᅜ	116	аш		ı.,

Cadmium or cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 1 class 1 or class 2 federal specification 1st treatment response or qq-p-416, type 2 class 1 or class 2 federal specification 2nd treatment response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-std-130 spec.