NSN 5310-01-194-8492

Assembled Washer Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-194-8492 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with nonmetallic insert **Washer Outside Diameter:** Between 1.253 inches and 1.283 inches **Counterbore Diameter:** 0.905 inches nut and 0.915 inches nut **Overall Height:** Between 0.911 inches and 0.915 inches **Nut Style:** Flat with turned back edge **Nut Height:** 0.491 inches Width Across Flats: Between 1.052 inches and 1.064 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi): **Thread Size:** 0.750 inches Material: Steel comp 1137 nut or steel comp 11l37 nut or steel comp 8740 nut **Material Specification:** Qq-a-225/6, t4 federal specification 1st material response washer or qq-a-250/13, t6 federal specification 2nd material response washer **Surface Treatment:** Cadmium nut and chromate nut **Surface Treatment Specification:** Qq-p-416 type 2 cl2 federal specification single treatment response nut Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Fiig:

No

A021a0

NSN 5310-01-194-8492

Assembled Washer Self-locking Nut - Page 2 of 2



Mil-std (military Standard):

Mil-c-5541 spec.