## NSN 5310-01-213-5396



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-213-5396 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.332 inches base and 0.367 inches base Lubrication: Dry film lubricant **Overall Height:** 0.770 inches **Mounting Hole Diameter:** Between 0.130 inches and 0.145 inches **Nut Style:** Plate **Nut Length:** 1.143 inches **Nut Height:** 0.385 inches **Plate Thickness:** Between 0.015 inches and 0.035 inches Plate Width: 0.750 inches **Nut Counterbore Depth:** 0.125 inches base **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.432 inches and 0.442 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.873 inches and 0.877 inches **Thread Series:** Unif **Features Provided:** Floating nut Thready Qty Per Inch (tpi):

24

**Thread Size:** 

0.3125 inches

## NSN 5310-01-213-5396

Plate Self-locking Nut - Page 2 of 2

Mil-std (military Standard):

Mil-r-6855 spec.



Material:
Rubber butadiene-acrylonitrile class nbr seal
Material Specification:
Mil-r-6855, class 1, grade 60 military specification single material response seal
Surface Treatment:
Passivate washer
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response washer
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0