NSN 5310-01-219-3484

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-01-219-3484

Rectangular Hole Diameter: Between 0.190 inches and 0.210 inches Edge Shape: Round Center Hole Shape: 1 round Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 lederal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fitg: A02250 Mili-std (military Standard): Mili-s-7952 spec.	Cross Sectional Shape:
Between 0.190 inches and 0.210 inches Edge Shape: Round Center Hole Shape: 1 round Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-688 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3nd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-9-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: A022b0 Mil-std (military Standard):	Rectangular
Edge Shape: Round Center Hole Shape: 1 round Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7	Hole Diameter:
Round Center Hole Shape: 1 round Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: A022b0 Mill-std (military Standard):	Between 0.190 inches and 0.210 inches
Center Hole Shape: 1 round Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military 2nd material response 2nd material response 2nd material response 2nd ma	Edge Shape:
1 round Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response 2nd material response 2nd material response 2nd	Round
Thickness: 0.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: A022b0 Mil-std (military Standard):	Center Hole Shape:
O.063 inches Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-	1 round
Overall Diameter: Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response 2nd	Thickness:
Between 0.750 inches and 0.770 inches Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	0.063 inches
Material: Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Overall Diameter:
Steel comp 1010 or steel comp 1020 or steel comp 1025 Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3rd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Between 0.750 inches and 0.770 inches
Material Specification: Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military surface Treatment: Qq-s-416, type 1, cl 1 federal specification single treatment response specification Data: 81205-bacw10p manufacturers standard 8helf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Material:
Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military specification 3nd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Steel comp 1010 or steel comp 1020 or steel comp 1025
specification 3rd material response Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Material Specification:
Surface Treatment: Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Qq-s-698 federal specification 1st material response or mil-s-7952 military specification 2nd material response or mil-s-7952 military
Cadmium Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	specification 3rd material response
Surface Treatment Specification: Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Surface Treatment:
Qq-p-416, type 1, cl 1 federal specification single treatment response Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Cadmium
Specification Data: 81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Surface Treatment Specification:
81205-bacw10p manufacturers standard Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Qq-p-416, type 1, cl 1 federal specification single treatment response
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Specification Data:
N/a Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	81205-bacw10p manufacturers standard
Unit Of Measure: Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	Shelf Life:
Demilitarization: No Fiig: A022b0 Mil-std (military Standard):	N/a
No Fiig: A022b0 Mil-std (military Standard):	Unit Of Measure:
No Fiig: A022b0 Mil-std (military Standard):	
Fiig: A022b0 Mil-std (military Standard):	Demilitarization:
A022b0 Mil-std (military Standard):	No
Mil-std (military Standard):	Fiig:
	A022b0
Mil-s-7952 spec.	Mil-std (military Standard):
	Mil-s-7952 spec.