NSN 5310-01-220-3479

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-220-3479 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.265 inches nut and 0.270 inches nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** Between 1.360 inches and 1.390 inches **Nut Height:** 0.310 inches **Plate Thickness:** Between 0.023 inches and 0.027 inches Plate Width: 0.865 inches **Nut Counterbore Depth:** 0.168 inches nut and 0.178 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.557 inches and 0.567 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 1.123 inches and 1.127 inches **Thread Series:** Unjf Thready Qty Per Inch (tpi): 28 **Thread Size:** 0.250 inches **Special Features:** Extended sleeve 0.003 in. Below plate

Material:

Steel comp 631 spring

NSN 5310-01-220-3479

Plate Self-locking Nut - Page 2 of 2

No Fiig: A021a0



| Surface Treatment: |
|--|
| Passivate spring |
| Surface Treatment Specification: |
| Qq-p-416, ty2, cl2 federal specification single treatment response nut |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| |