## NSN 5310-01-223-7139

Recessed Washer - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-223-7139 **Hole Diameter:** Between 0.312 inches and 0.319 inches **Outside Diameter:** Between 0.584 inches and 0.604 inches **Material Thickness:** Between 0.062 inches and 0.071 inches Min. Tensile Strength (psi): 240000 pounds per square inch **Top Recess Diameter:** Between 0.352 inches and 0.379 inches **Bottom Recess Angle:** Between 89.0 degrees and 91.0 degrees **Top Recess Angle:** Between 89.0 degrees and 91.0 degrees **Bottom Recess Diameter:** Between 0.352 inches and 0.379 inches **Surface Finish:** 63.0 microinches top **Special Features:** Surfaces are vacuum plated Color: Yellow or brown Material: Steel comp h11 **Material Specification:** Ams 6485 assn standard single material response or ams 6487 assn standard single material response **Surface Treatment:** Cadmium and chromate **Surface Treatment Specification:** Mil-c-8837 military specification all treatment responses **Style Designator:** Recessed both sides **Departure From Cited Document:** As modified by heat treat per mil-h-6875 Shelf Life: N/a **Unit Of Measure: Demilitarization:** No

Fiig:

A022b0

## NSN 5310-01-223-7139

Recessed Washer - Page 2 of 2



Mil-std (military Standard):

Mil-c-8837 spec.