

NSN 5310-01-239-5918 Blind Rivet Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-239-5918 **Thread Class:** 3b **Thread Direction:** Right-hand **Head Style:** Eliptical countersunk **Head Height:** 0.040 inches **Locking Feature:** Prevailing torque all metal design **Head Major Diameter:** Between 0.4176 inches and 0.4400 inches **Head Minor Diameter:** 0.3500 inches Lubrication: Dry film lubricant **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.325 inches and 0.327 inches **Nut Length:** Between 0.507 inches and 0.537 inches **Nut Grip Range:** +0.060/+0.080 inches **Shank End Type:** Open **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif

Thready Qty Per Inch (tpi):

**Thread Size:** 

0.2500 inches

**Head Major Countersink Angle:** 

Between 75.0 degrees and 77.0 degrees

**Head Minor Countersink Angle:** 

Between 59.0 degrees and 61.0 degrees

Material:

Steel comp 304 or steel comp 305

**Material Specification:** 

Qq-s-763, cond a federal specification single material response

## NSN 5310-01-239-5918

Blind Rivet Self-locking Nut - Page 2 of 2



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Specification Data:
80205-nas1734 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A021a0