NSN 5310-01-244-2258

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-244-2258

Thread Class:
3b
Thread Direction:
Right-hand
Locking Feature:
Prevailing torque all metal design
Counterbore Diameter:
0.220 inches nut
Lubrication:
Dry film lubricant
Overall Height:
0.405 inches
Mounting Hole Diameter:
0.098 inches
Nut Style:
Plate
Nut Length:
0.840 inches
Nut Height:
0.268 inches
Plate Thickness:
0.030 inches
Plate Width:
0.443 inches
Nut Counterbore Depth:
0.070 inches nut
Nut Mounting Provision:
Straight holes
Mounting Hole Arrangement Style:
2 holes
Distance From Aperture Center To Mounting Hole Center:
Between 0.290 inches and 0.300 inches
Center To Center Distance Between Mounting Holes Along Length:
Between 0.588 inches and 0.592 inches
Tempurature Rating:
Between 65.0 degrees fahrenheit and 225.0 degrees fahrenheit
Thread Series:
Unjf
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):

NSN 5310-01-244-2258

Plate Self-locking Nut - Page 2 of 2



Hardness Rating:
60.0 shore durometer a
Thread Size:
0.190 inches
Material:
Rubber butadiene-acrylonitrile class nbr seal
Material Specification:
Mil-r-6855, class 1, grade 60 military specification single material response seal
Surface Treatment:
Passivate washer
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response washer
Specification Data:
80205-nas1774 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A021a0
Mil-std (military Standard):
Mil-r-6855 spec.