## NSN 5310-01-253-3153

Assembled Washer Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-253-3153 **Thread Class: Thread Direction:** Right-hand **Locking Feature:** Prevailing torque with nonmetallic insert **Washer Outside Diameter:** Between 0.610 inches and 0.640 inches **Counterbore Diameter:** 0.385 inches nut and 0.395 inches nut **Overall Height:** Between 0.396 inches and 0.436 inches **Nut Style:** Flat with turned back edge **Nut Height:** 0.203 inches **Nut Counterbore Depth:** 0.203 inches nut and 0.223 inches nut Width Across Flats: Between 0.492 inches and 0.502 inches **Tempurature Rating:** 250.0 degrees fahrenheit **Thread Series:** Unjf Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.3125 inches Material: Plastic nylon locking insert **Material Specification:** Qq-a-225/6, t4 federal specification 1st material response washer or qq-a-250/13, t6 federal specification 2nd material response washer **Surface Treatment:** Cadmium nut and chromate nut **Surface Treatment Specification:** Qq-p-416, type 2, cl 2 federal specification single treatment response nut Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5310-01-253-3153

Assembled Washer Self-locking Nut - Page 2 of 2



Fiig:

A021a0

Mil-std (military Standard):

Mil-c-5541 spec.