## NSN 5310-01-267-2877

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-267-2877 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Overall Height:** 0.640 inches **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.989 inches **Nut Height:** 0.313 inches **Plate Thickness:** 0.030 inches Plate Width: 0.568 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches Center To Center Distance Between Mounting Holes Along Length: Between 0.686 inches and 0.690 inches **Tempurature Rating:** 350.0 degrees fahrenheit **Thread Series:** Unjf **Features Provided:** Floating nut Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches

Material: Stainless steel

## NSN 5310-01-267-2877

Plate Self-locking Nut - Page 2 of 2



M	late	rial	Sp	ecif	icat	ion:
			~	••••		. •

Mil-r-25988 military specification single material response seal

**Surface Treatment:** 

Passivate nut

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response nut

**Specification Data:** 

80205-nas1473 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-r-25988 spec.