## NSN 5310-01-268-1232



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-268-1232 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 0.948 inches **Nut Height:** 0.250 inches **Plate Thickness:** 0.032 inches Plate Width: Between 0.391 inches and 0.416 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.339 inches and 0.349 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.686 inches and 0.690 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches Material: Iron alloy 660

## **Material Specification:**

Ams 5525 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single material response

## **Surface Treatment:**

**Passivate** 

## NSN 5310-01-268-1232

Plate Self-locking Nut - Page 2 of 2



Qq-p-35 federal specification single treatment response

**Specification Data:** 

80205-nas1773 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0