

View Online at <https://aerobasegroup.com/nsn/5310-01-285-4359>

**Thread Class:**

3b

**Thread Direction:**

Left-hand

**Nut Style:**

Hexagon

**Nut Height:**

Between 0.146 inches and 0.166 inches

**Drilled Hole Diameter:**

Between 0.034 inches and 0.039 inches

**Hole Type And Quantity:**

3 drilled

**Width Across Flats:**

Between 0.365 inches and 0.377 inches

**Thread Series:**

Unjf

**Thready Qty Per Inch (tpi):**

32

**Thread Size:**

0.190 inches

**Hole Configuration Style:**

Configuration b

**Countersink Angle:**

110.0 degrees both ends

**Bearing Surface Type:**

Flat

**Bearing Surface Finish:**

125.0 microinches

**Material:**

Iron alloy 660

**Material Specification:**

Ams 5525 assn standard single material response or ams 5735 assn standard single material response or ams 5737, k66286 assn standard single material response

**Surface Treatment:**

Passivate

**Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

**Supplementary Features:**

150000 psi min ts; u/w nas 513, nas 559 and nas 1193 lock washers on rod end term. To hyd piston

**Specification Data:**

80205-nas509 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A021a0