

View Online at <https://aerobasegroup.com/nsn/5310-01-285-7099>

Thread Class:

3b

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Lubrication:

Dry film lubricant

Nut Style:

Hexagon

Nut Height:

Between 0.546 inches and 0.576 inches

Width Across Flats:

Between 1.427 inches and 1.440 inches

Thread Series:

Unjf

Thready Qty Per Inch (tpi):

12

Thread Size:

1.000 inches

Bearing Surface Type:

Washer faced

Special Features:

Boss, 1.202 in. Maximum od, one side

Material:

Iron alloy 660

Material Specification:

Ams 5732 assn standard single material response or ams 5737 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Test Data Document:

81349-mil-i-6866 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-5002 spec.