

View Online at <https://aerobasegroup.com/nsn/5310-01-287-6048>

Thread Class:

3b

Thread Direction:

Right-hand

Nut Style:

Hexagon

Nut Height:

Between 0.146 inches and 0.166 inches

Drilled Hole Diameter:

Between 0.034 inches and 0.039 inches

Hole Type And Quantity:

3 drilled

Width Across Flats:

Between 0.365 inches and 0.377 inches

Thread Series:

Unjf

Thready Qty Per Inch (tpi):

32

Hardness Rating:

Between 34.0 rockwell c and 38.0 rockwell c

Thread Size:

0.190 inches

Hole Configuration Style:

Configuration b

Countersink Angle:

110.0 degrees both ends

Bearing Surface Type:

Flat

Bearing Surface Finish:

125.0 microinches

Material:

Steel comp 4130

Material Specification:

Mil-s-6758, cond f-4 g41300 military specification single material response

Surface Treatment:

Cadmium and cadmium

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification all treatment responses

Supplementary Features:

U/w nas 513, nas 559 and nas 1193lock washers on rod end term. To hyd piston

Specification Data:

80205-nas509 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-s-6758 spec.