

View Online at <https://aerobasegroup.com/nsn/5310-01-303-8160>

Hole Diameter:

Between 0.390 inches and 0.395 inches

Outside Diameter:

Between 0.560 inches and 0.570 inches

External Prebent Key Length:

Between 0.140 inches and 0.150 inches

External Tapered Key Width:

Between 0.450 inches and 0.460 inches

External Prebent Key Width:

Between 0.140 inches and 0.145 inches

Distance From Centerline To Inside Of Prebent Key:

Between 0.365 inches and 0.375 inches

Overall Distance Including Keys:

0.972 inches

Split Key Length:

0.297 inches

External Key Quantity:

3

Material Thickness:

Between 0.028 inches and 0.036 inches

Angle Between External Keys:

Between 58.0 degrees and 62.0 degrees

External Prebent Key Angle:

Between 10.0 degrees and 20.0 degrees

Material:

Steel comp 321 or steel comp 347

Material Specification:

Ams 5510 assn standard 1st material response or ams 5512 assn standard 2nd material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35, type 1 federal specification single treatment response or qq-p-35, type 2 federal specification single treatment response or qq-p-35, type 3 federal specification single treatment response

Style Designator:

Key

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A022b0