## NSN 5310-01-304-7973

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-01-304-7973

Cross Sectional Shape:
Rectangular
Hole Diameter:
Between 1.010 inches and 1.020 inches
Edge Shape:
Round
Center Hole Shape:
1 round
Thickness:
Between 0.470 inches and 0.530 inches
Overall Diameter:
Between 3.190 inches and 3.250 inches
Outside Left Corner Chamfer Angle:
45.0 degrees
Outside Right Corner Chamfer Angle:
45.0 degrees
Surface Finish:
63.0 microinches top
Material:
Steel comp 4140
Material Specification:
Aisi 4140 assn standard 1st material response or qq-s-626 federal specification 2nd material response
Aisi 4140 assn standard 1st material response or qq-s-626 federal specification 2nd material response <b>Surface Treatment:</b>
Surface Treatment:
Surface Treatment: Phosphate
Surface Treatment: Phosphate Special Test Features:
Surface Treatment: Phosphate Special Test Features: Navord od36190
Surface Treatment: Phosphate Special Test Features: Navord od36190 Surface Treatment Specification:
Surface Treatment: Phosphate Special Test Features: Navord od36190 Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response
Surface Treatment: Phosphate  Special Test Features: Navord od36190  Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics:
Surface Treatment: Phosphate Special Test Features: Navord od36190 Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features
Surface Treatment: Phosphate Special Test Features: Navord od36190 Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features Shelf Life:
Surface Treatment: Phosphate Special Test Features: Navord od36190 Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features Shelf Life: N/a
Surface Treatment: Phosphate Special Test Features: Navord od36190 Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features Shelf Life: N/a
Surface Treatment: Phosphate  Special Test Features: Navord od36190  Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features  Shelf Life: N/a  Unit Of Measure:
Surface Treatment: Phosphate  Special Test Features: Navord od36190  Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features Shelf Life: N/a Unit Of Measure: Demilitarization:
Surface Treatment: Phosphate  Special Test Features: Navord od36190  Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features  Shelf Life: N/a  Unit Of Measure: Demilitarization: No
Surface Treatment: Phosphate  Special Test Features: Navord od36190  Surface Treatment Specification: Mil-p-16232, type z, cl 3 military specification single treatment response Reference Number Differentiating Characteristics: As differentiated by special test features  Shelf Life: N/a  Unit Of Measure: Demilitarization: No Fiig: