

View Online at <https://aerobasegroup.com/nsn/5310-01-314-6761>

Thread Direction:

Right-hand

Locking Feature:

Prevailing torque all metal design

Counterbore Diameter:

5.5 millimeters nut

Lubrication:

Dry film lubricant

Mounting Hole Diameter:

Between 2.5 millimeters and 2.7 millimeters

Nut Style:

Plate

Nut Length:

27.4 millimeters

Nut Height:

Between 6.1 millimeters and 6.9 millimeters

Plate Thickness:

0.6 millimeters

Plate Width:

10.6 millimeters

Nut Counterbore Depth:

2.4 millimeters nut

Nut Mounting Provision:

Straight holes

Mounting Hole Arrangement Style:

2 holes

Distance From Aperture Center To Mounting Hole Center:

9.5 millimeters

Center To Center Distance Between Mounting Holes Along Length:

8.0 millimeters

Temperature Rating:

235.0 degrees celsius

Thread Series:

Mj

Features Provided:

Floating nut

Thread Size:

5.0 millimeters

Thread Pitch In Millimeters:

0.80

Thread Tolerance Class:

4h6h internal

Material:

Steel

Surface Treatment:

Cadmium and chromate or cadmium and phosphate

Surface Treatment Specification:

Qq-p-416, type 2, cl 2 federal specification 1st treatment response or qq-p-416, type 3, cl 2 federal specification 2nd treatment response

Specification Data:

80205-na0073 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A021a0