NSN 5310-01-319-6942

Flat Washer - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5310-01-319-6942

| Cross Sectional Shape: |
|--|
| Rectangular |
| Hole Diameter: |
| Between 0.314 inches and 0.318 inches |
| Edge Shape: |
| Round |
| Center Hole Shape: |
| 1 round |
| Thickness: |
| Between 0.057 inches and 0.069 inches |
| Overall Diameter: |
| Between 0.575 inches and 0.585 inches |
| Min. Tensile Strength (psi): |
| 180000 pounds per square inch |
| Material: |
| Iron alloy 660 or nickel alloy 718 |
| Material Specification: |
| Ams 5525 assn standard 1st material response or ams 5737 assn standard 1st material response or ams 5596 assn standard 2nd materia |
| response or ams 5597 assn standard 2nd material response or ams 5662 assn standard 2nd material response |
| Surface Treatment: |
| Aluminum alloy |
| Surface Treatment Specification: |
| Nas 4006 assn standard single treatment response |
| Test Data Document: |
| 96906-mil-std-6866 standard (includes industry or association standards, individual manufactureer standards, etc.). |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A022b0 |
| Mil-std (military Standard): |
| Mil-std-6866 spec. |
| |