

NSN 5310-01-322-7328 Blind Rivet Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-322-7328 **Thread Class:** 3b **Thread Direction:** Right-hand **Head Style:** Eliptical countersunk **Head Height:** 0.054 inches **Counterbore Diameter:** 0.442 inches nut and 0.445 inches nut **Head Major Diameter:** Between 0.6856 inches and 0.7080 inches **Head Minor Diameter:** 0.580 inches Lubrication: Dry film lubricant **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.537 inches and 0.539 inches **Nut Length:** Between 1.068 inches and 1.098 inches **Err Default:** +0.320/+0.340 inches **Shank End Type:** Open **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif

Thready Qty Per Inch (tpi):

20

Thread Size:

0.4375 inches

Head Major Countersink Angle:

Between 75.0 degrees and 77.0 degrees

Head Minor Countersink Angle:

Between 59.0 degrees and 61.0 degrees

Special Features:

Passiviated before cadmium plating

Material:

Steel comp 304 or steel comp 305

NSN 5310-01-322-7328

Blind Rivet Self-locking Nut - Page 2 of 2



Material Specification

Qq-s-763, cond a federal specification all material responses

Surface Treatment:

Cadmium and chromate

Surface Treatment Specification:

Qq-p-416, type 2, class 2 federal specification single treatment response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A021a0