## NSN 5310-01-326-3453



Plate Self-locking Nut - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5310-01-326-3453 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 1.051 inches **Nut Height:** 

Plate Thickness:

0.032 inches

0.203 inches

Plate Width:

Between 0.290 inches and 0.422 inches

**Nut Mounting Provision:** 

Straight holes

**Mounting Hole Arrangement Style:** 

2 holes

**Distance From Aperture Center To Mounting Hole Center:** 

Between 0.339 inches and 0.349 inches

Center To Center Distance Between Mounting Holes Along Length:

Between 0.310 inches and 0.314 inches

**Tempurature Rating:** 

450.0 degrees fahrenheit

Thread Series:

Unic

**Features Provided:** 

Floating nut

Thready Qty Per Inch (tpi):

32

**Thread Size:** 

0.138 inches

Material:

Iron alloy 660

**Material Specification:** 

Ams 5525 assn standard single material response or ams 5732 assn standard single material response or ams 5737 assn standard single material response

## NSN 5310-01-326-3453

Plate Self-locking Nut - Page 2 of 2



| Surface Treatment:   |
|--|
| Passivate  |
| Surface Treatment Specification:                           |
| Qq-p-35 federal specification single treatment response    |
| Specification Data:  |
| 80205-nas1774 professional/industrial association standard |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
|  |
| Demilitarization:  |
| No   |
| Fiig:  |

A021a0