## NSN 5310-01-338-4090

**Thread Class:** 

Right-hand

**Thread Direction:** 

**Locking Feature:** 

Prevailing torque all metal design

3b



Gang Channel Self-locking Nut Assembly - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5310-01-338-4090

Counterbore Diameter:
0.194 inches first end
Lubrication:
Dry film lubricant
Overall Length:
71.940 inches
Overall Width:
0.474 inches
Nut Style:
Gang channel, self locking
Channel Style:
Straight type
Assemblyheight:
0.568 inches
Channel Height:
0.250 inches
Nut Spacing:
0.900 inches
Nut Counterbore Depth:
0.375 inches first end
Nut Quantity:
79
Thread Series:
Unjf
Features Provided:
Floating nut
Thready Qty Per Inch (tpi):
32
Thread Size:
0.190 inches
Special Features:
Channel matl alclad
Material:
Steel comp xm-28 clip or steel comp 302 clip
Material Specification:
Ams 5688 assn standard 2nd material response clip

## NSN 5310-01-338-4090

Gang Channel Self-locking Nut Assembly - Page 2 of 2



Sι	ırfa	ace	Tı	ea	tm	en	ıt:

Passivate clip

## **Surface Treatment Specification:**

Qq-p-416, type 2, class 2 federal specification single treatment response nut

## **Test Data Document:**

81349-mil-n-25027 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

_				
SI	าค	ΙŦ	ife	j.

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0

Mil-std (military Standard):

Mil-a-8625 spec.