NSN 5310-01-340-8586

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-340-8586 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate (floating) **Nut Length:** 1.375 inches **Nut Height:** 0.940 inches **Plate Thickness:** Between 0.023 inches and 0.027 inches Plate Width: 0.865 inches **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style:** 2 holes **Distance From Aperture Center To Mounting Hole Center:** Between 0.557 inches and 0.567 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 1.123 inches and 1.127 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif Thready Qty Per Inch (tpi): 32 **Thread Size:** 0.190 inches **Special Features:**

For use in material thick grip range 0.075 in. Min, 0.085 in. Max

Material:

Steel comp 301 spring

Material Specification:

Ams 5731 assn standard single material response nut or ams 5732 assn standard single material response nut or ams 5737 assn standard single material response nut

NSN 5310-01-340-8586

Plate Self-locking Nut - Page 2 of 2

No Fiig: A021a0



Surface Treatment:
Passivate spring
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response spring
Shelf Life:
N/a
Unit Of Measure:
Demilitarization: