## NSN 5310-01-343-4224

Blind Rivet Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-343-4224 **Thread Class:** 3b **Thread Direction:** Right-hand **Head Style:** Eliptical countersunk **Head Height:** 0.054 inches **Locking Feature:** Prevailing torque all metal design **Head Major Diameter:** Between 0.686 inches and 0.708 inches **Head Minor Diameter:** 0.054 inches Lubrication: Dry film lubricant **Nut Style:** Blind rivet w/smooth round shank **Nut Diameter:** Between 0.537 inches and 0.539 inches **Nut Length:** Between 1.668 inches and 1.818 inches **Nut Grip Range:** +1.040/+1.060 inches **Shank End Type:** Closed **Thread Series:** Unjf Thready Qty Per Inch (tpi): 20 **Thread Size:** 0.437 inches **Head Major Countersink Angle:** 76.0 degrees **Head Minor Countersink Angle:** 60.0 degrees Material: Steel comp 304 or steel comp 305 **Material Specification:** Qq-s-763, conda federal specification single material response

## **Surface Treatment:**

Cadmium and chromate

## NSN 5310-01-343-4224

Blind Rivet Self-locking Nut - Page 2 of 2



Surface	Treatment	Specification	'n.
Juliace	HEALINGIL	Opecinication	,,,,

Qq-p-35 federal specification single treatment response

**Specification Data:** 

80205-nas1734 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0