## NSN 5310-01-352-2629

Plate Self-locking Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-352-2629 **Thread Class:** 3b **Thread Direction:** Right-hand **Locking Feature:** Prevailing torque all metal design **Counterbore Diameter:** 0.317 inches nut Lubrication: Dry film lubricant **Mounting Hole Diameter:** Between 0.098 inches and 0.103 inches **Nut Style:** Plate **Nut Length:** 1.396 inches **Nut Height:** 0.649 inches **Plate Thickness:** Between 0.035 inches and 0.045 inches Plate Width: 0.643 inches **Nut Counterbore Depth:** 0.375 inches nut **Nut Mounting Provision:** Straight holes **Mounting Hole Arrangement Style: Distance From Aperture Center To Mounting Hole Center:** Between 0.495 inches and 0.505 inches **Center To Center Distance Between Mounting Holes Along Length:** Between 0.310 inches and 0.314 inches **Tempurature Rating:** 450.0 degrees fahrenheit **Thread Series:** Unif Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.312 inches

Material:

Steel comp 302 clip

## NSN 5310-01-352-2629

Plate Self-locking Nut - Page 2 of 2



M	late	rial	Sp	ecif	icat	ion:
			~	••••		. •

Ams 5688 assn standard single material response clip

**Surface Treatment:** 

Passivate shell

**Surface Treatment Specification:** 

Qq-p-35 federal specification single treatment response shell

**Specification Data:** 

80205-1792 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A021a0