Assembled Washer Plain Nut - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5310-01-352-8692

Thread Class: 3b Thread Direction: Right-hand Washer Outside Diameter: 0.785 inches Counterbore Diameter: 0.519 inches first end and 0.529 inches first end Overall Height: Between 0.530 inches and 0.550 inches Nut Style: Flat with turned back edge Nut Height: 0.281 inches Nut Counterbore Depth: 0.249 inches first end and 0.269 inches first end With Across Flats: Between 0.616 inches and 0.627 inches Tempurature Rating: 450.0 degrees fahrenheit Thread Series: Unjf Thready City Per Inch (tpi): 20 Thready Size: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Pasivate Stafface Treatment Specification single treatment response Sheff Life: Na Mitor Measure:  Demilitarization: No		
Thread Direction:         Right-hand         Washer Outside Diameter:         0.785 inches         Counterbore Diameter:         0.519 inches first end and 0.529 inches first end         Overall Height:         Between 0.530 inches and 0.550 inches         Nut Style:         Flat with turned back edge         Nut Height:         0.281 inches         Nut Counterbore Depth:         0.249 inches first end and 0.269 inches first end         With Across Flats:         Between 0.616 inches and 0.627 inches         Thread Oategrees fahrenheit         Thread Streis:         Unjf         Thread Size:         0.438 inches         Material:         Steel comp 302 washer         Material Specification         Miler-Sofs military specification single material response washer         Surface Treatment:         Passivate         Narial Specification single treatment response         Narial Specification single treatment response         Narial Specification single treatment response         Vaira Compassivation         Miler-Sofs military specification single treatment response         Shelf Life:         N/a         Dird Meassu	Thread Class:	
Right-Bad         Washer Outside Diameter:         0.785 inches         Counterbore Diameter:         0.519 inches first end and 0.529 inches first end         Overall Height:         Between 0.530 inches and 0.550 inches         Nut Style:         Flat with turned back edge         Nut Height:         0.281 inches         0.281 inches         Nut Counterbore Depth:         0.249 inches first end and 0.269 inches first end         With Across Flats:         Between 0.616 inches and 0.627 inches         Tempurature Rating:         450.0 degrees fahrenheit         Thready Gay Per Inch (tpi):         20         Thread Stee:         0.438 inches         Material:         Steel comp 302 washer         Miter-S059 military specification single material response washer         Surface Treatment:         Passivate         Surface Treatment Specification:         Na         Nitarie         Na         Diric Measure:         Na         Surface Treatment Specification single treatment response         Shelf Life:         N/a         Diric Measure:		
Variation         0.785 inches         Counterbore Diameter:         0.519 inches first end and 0.529 inches first end         Overall Height:         Between 0.530 inches and 0.550 inches         Nut Style:         Flat with turned back edge         Nut Height:         0.281 inches         0.281 inches         Nut Gounterbore Depth:         0.249 inches first end and 0.269 inches first end         Width Across Flats:         Between 0.616 inches and 0.627 inches         Tempurature Rating:         450.0 degrees fahrenheit         Thread Series:         Unjf         Thread Series:         0.438 inches         Material:         Steel comp 302 washer         Material:         Striace Treatment:         Passivate         Surface Treatment:         Passivate         Surface Treatment Specification single treatment response washer         Surface Treatment:         Na         Valt Of Measure:         Na         Surface Treatment:         Na         Demilitarization:         Na         Surface Treatment Specification single treatment response<		
0.785 inchesCounterbore Diameter:0.519 inches first end and 0.529 inches first endOverall Height:Between 0.530 inches and 0.550 inchesNut Style:Flat with turned back edgeNut Height:0.281 inches0.281 inchesNut Counterbore Depth:0.249 inches first end and 0.269 inches first endWidth Across Flats:Between 0.616 inches and 0.627 inchesTempurature Rating:450.0 degrees fahrenheitThread Series:Unjf17tread System:0.438 inchesMaterial:Steel comp 302 washerMaterial Specification:Nuf-s-5059 military specification single material response washerSurface Treatment:PassivateNafer-Site field and single treatment responseSheft Life:NaNaField State:NaField State:NaField State:Surface Treatment:NaState:State:NaField State:NaField State:NaState:NaState:NaState:NaState:State:NaState:State:State:State:State:State:State:State:State:State:State:State:State: <t< td=""><td></td><td></td></t<>		
Counterbore Diameter:0.519 inches first end and 0.529 inches first endOverall Height:Between 0.530 inches and 0.550 inchesNut Style:Flat with turned back edgeNut Height:0.281 inches0.281 inchesNut Counterbore Depth:0.249 inches first end and 0.269 inches first endWidth Across Flats:Between 0.616 inches and 0.627 inchesTempurature Rating:450.0 degrees fahrenheitThread Series:UnjfThread Syle:0.38 inchesMaterial:Steel comp 302 washerMaterial Specification:Miface Treatment:PassivateSurface Treatment Specification single material response washerSteface Treatment:PassivateCurface Treatment Specification single treatment responseNaUnit Of Measure:-PassivateStefic Tireatment:NaUnit Of Measure:-Passivation:NaStefic Tireatment:NaStefic Tireatment:PassivateStefic Tireatment Specification single treatment responseSheff Life:NaDirt of Measure:-PassivateStefic Tireatment Specification single treatment responseSheff Life:NaStefic Tireatment:Stefic Tireatment:Stefic Tireatment:Stefic Tireatment:Stefic Tireatment:Stefic Tir		
0.519 inches first end and 0.529 inches first end Overall Height: Between 0.530 inches and 0.550 inches Nut Style: Flat with turned back edge Nut Height: 0.281 inches Nut Counterbore Depth: 0.249 inches first end and 0.269 inches first end Width Across Flats: Between 0.616 inches and 0.627 inches Tempurature Rating: 450.0 degrees fahrenheit Thread Series: Unjf Thread Series: Unjf Thread Syze: 0.438 inches Material: Steel comp 302 washer Material Specification Steel comp 302 washer Material Specification Surface Treatment: Passivate Surface Treatment: Passivate Surface Treatment: Passivate Curface Treatment Specification single material response washer Surface Treatment: Passivate Material Specification single treatment response Material Specification single treatment response Material Specification Single treatment response Material: Na Unit Of Measure: - Demilitarization: No		
Overall Height:Between 0.530 inches and 0.550 inchesNut Style:Flat with turned back edgeNut Height:0.281 inchesNut Counterbore Depth:0.249 inches first end and 0.269 inches first endWidth Across Flats:Between 0.616 inches and 0.627 inchesTempurature Rating:450.0 degrees fahrenheitThread Series:UnjfThread Stries:0.438 inchesMaterial:Steel comp 302 washerMil-s-5059 military specification single material response washerSurface Treatment:PassivateSurface Treatment Specification:Nu'aUnit Of Measure:Demilitarization:NoFig:NoFig:		
Between 0.530 inches and 0.550 inches         Nut Style:         Flat with turned back edge         Nut Height:         0.281 inches         Nut Counterbore Depth:         0.249 inches first end and 0.269 inches first end         Width Across Flats:         Between 0.616 inches and 0.627 inches         Tempurature Rating:         450.0 degrees fahrenheit         Thread Series:         Unjf         Thread System         0.438 inches         Material:         Steel comp 302 washer         Mil-s-5059 military specification single material response washer         Surface Treatment Specification         Qu-p-35 federal specification single treatment response         Shelf Life:         N/a         Unit Of Measure:         -         Femilitarization:         No         Fig:		
Nut Style:         Flat with turned back edge         Nut Height:         0.281 inches         Nut Counterbore Depth:         0.249 inches first end and 0.269 inches first end         Width Across Flats:         Between 0.616 inches and 0.627 inches         Tempurature Rating:         450.0 degrees fahrenheit         Thread Series:         Unjf         Thread Size:         0.438 inches         Material:         Steel comp 302 washer         Material:         Sufface Treatment:         Passivate         Surface Treatment Specification single material response washer         Surface Treatment Specification single treatment response         Paslivate         Curp-35 federal specification single treatment response         Shelf Life:         N/a         Unit of Measure:            Demilitarization:         No         Fig:		
Flat with turned back edge         Nut Height:         0.281 inches         Nut Counterbore Depth:         0.249 inches first end and 0.269 inches first end         Width Across Flats:         Between 0.616 inches and 0.627 inches         Tempurature Rating:         450.0 degrees fahrenheit         Thread Series:         Unjf         Thread Size:         0.438 inches         Material:         Steel comp 302 washer         Material:         Striace Treatment:         Passivate         Surface Treatment Specification single material response washer         Surface Treatment:         Qu-9-35 federal specification single treatment response         Shelf Life:         N/a         Unit of Measure:            Femilitarization:         No         Fig:		
Nut Height:         0.281 inches         Nut Counterbore Depth:         0.249 inches first end and 0.269 inches first end         Width Across Flats:         Between 0.616 inches and 0.627 inches         Tempurature Rating:         450.0 degrees fahrenheit         Thread Series:         Unjf         Thready Qty Per Inch (tpi):         20         Thread Size:         0.438 inches         Material:         Steel comp 302 washer         Mil-s-5059 military specification single material response washer         Surface Treatment:         Passivate         Qu-p-35 federal specification single treatment response         Shelf Life:         N/a         Lint Of Measure:         -         Tomilitarization:         Ro         Pamilitarization:	Nut Style:	
0.281 inchesNut Counterbore Depth:0.249 inches first end and 0.269 inches first endWidth Across Flats:Between 0.616 inches and 0.627 inchesTempurature Rating:450.0 degrees fahrenheitThread Series:UnjfThready Qty Per Inch (tpi):20Thread Size:0.438 inchesMaterial:Steel comp 302 washerMaterial Specification:Nil-s-5059 military specification single material response washerSurface Treatment:PassivateQu-p-35 federal specification single treatment responseShelf Life:N/aUnit Of Measure:Pemilitarization:NoFig:	Flat with turned back edge	
Nut Counterbore Depth: 0.249 inches first end and 0.269 inches first end Width Across Flats: Between 0.616 inches and 0.627 inches Tempurature Rating: 450.0 degrees fahrenheit Thread Series: Unjf Thread Series: Unjf Thready Qty Per Inch (tpi): 20 Thread Size: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig:	Nut Height:	
0.249 inches first end and 0.269 inches first end Width Across Flats: Between 0.616 inches and 0.627 inches Tempurature Rating: 450.0 degrees fahrenheit Thread Series: Unjf Thread Series: Unjf Thready Qty Per Inch (tpi): 20 Thread Size: 0.438 inches Material: Steel comp 302 washer Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment: Qa-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure: - Demilitarization: No	0.281 inches	
Width Across Flats: Between 0.616 inches and 0.627 inches Tempurature Rating: 450.0 degrees fahrenheit Thread Series: Unjf Thready Qty Per Inch (tpi): 20 Thread Size: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification Surface Treatment Specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Nut Counterbore Depth:	
Between 0.616 inches and 0.627 inches Tempurature Rating: 450.0 degrees fahrenheit Thread Series: Unif Thready Qty Per Inch (tpi): 20 Thread Size: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No	0.249 inches first end and 0.269 inches first end	
Tempurature Rating:   450.0 degrees fahrenheit   Thread Series:   Unif   Thready Qty Per Inch (tpi):   20   Thread Size:   0.438 inches   Material:   Steel comp 302 washer   Material Specification:   Mil-s-5059 military specification single material response washer   Surface Treatment:   Passivate   Surface Treatment Specification:   Qq-p-35 federal specification single treatment response   Shelf Life:   N/a   Unit Of Measure:       Fenilitarization:   No   Fig:	Width Across Flats:	
450.0 degrees fahrenheit Thread Series: Unjf Thready Qty Per Inch (tpi): 20 Thread Size: 0.438 inches Material: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure: - Demilitarization: No Fig:	Between 0.616 inches and 0.627 inches	
Thread Series:UnifThready Qty Per Inch (tpi):20Thread Size:0.438 inchesMaterial:Steel comp 302 washerMaterial Specification:Mil-s-5059 military specification single material response washerSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseShelf Life:N/aInti Of Measure:Penilitarization:NoFig:	Tempurature Rating:	
Unjf Thready Qty Per Inch (tpi): 20 Thread Size: 0.438 inches Material: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Mil-s-5059 military specification single material response washer Material Specification: Nage-p-35 federal specification single treatment response Material: N/a Dint Of Measure:  Demilitarization: No Fig:	450.0 degrees fahrenheit	
Thready Qty Per Inch (tpi):   20   Thread Size:   0.438 inches   Material:   Steel comp 302 washer   Material Specification:   Mil-s-5059 military specification single material response washer   Surface Treatment:   Passivate   Surface Treatment Specification:   Qq-p-35 federal specification single treatment response   Shelf Life:   N/a   Unit Of Measure:     Demilitarization:   No   Fig:	Thread Series:	
20 Thread Size: 0.438 inches Material: Steel comp 302 washer Material Specification: MiI-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No	Unjf	
Thread Size: 0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No	Thready Qty Per Inch (tpi):	
0.438 inches Material: Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	20	
Material:   Steel comp 302 washer   Material Specification:   Mil-s-5059 military specification single material response washer   Surface Treatment:   Passivate   Surface Treatment Specification:   Qq-p-35 federal specification single treatment response   Shelf Life:   N/a   Unit Of Measure:     Demilitarization:   No   Fig:	Thread Size:	
Steel comp 302 washer Material Specification: Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fig:	0.438 inches	
Material Specification:Mil-s-5059 military specification single material response washerSurface Treatment:PassivateSurface Treatment Specification:Qq-p-35 federal specification single treatment responseShelf Life:N/aUnit Of Measure:Demilitarization:NoFiig:	Material:	
Mil-s-5059 military specification single material response washer Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Steel comp 302 washer	
Surface Treatment: Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Material Specification:	
Passivate Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Mil-s-5059 military specification single material response washer	
Surface Treatment Specification: Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Surface Treatment:	
Qq-p-35 federal specification single treatment response Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Passivate	
Shelf Life: N/a Unit Of Measure:  Demilitarization: No Fiig:	Surface Treatment Specification:	
N/a Unit Of Measure:  Demilitarization: No Fiig:	Qq-p-35 federal specification single treatment response	
Unit Of Measure:  Demilitarization: No Fiig:	Shelf Life:	
 Demilitarization: No Fiig:	N/a	
No Fiig:	Unit Of Measure:	
No Fiig:		
Fiig:	Demilitarization:	
-	No	
A021a0	Fiig:	
	A021a0	



Mil-std (military Standard):

Mil-s-5059 spec.